### AMP | AMP MCP Connector System, AMP MCP 2.8

TE Internal #: 8-968975-2


Housing for Female Terminals, Wire-to-Wire, 21 Position, 5 mm [. 197 in] Centerline, Gray, Wire & Cable, Power, Cable Mount (Free-

Hanging), Hybrid

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > AMP Unsealed Connector Housing



Connector System: Wire-to-Wire

Number of Positions: 21

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 5 mm [.197 in]

Sealable: No

All AMP Unsealed Connector Housing (110)

## **Features**

#### **Product Type Features**

Product Type Features	
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing
Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Configuration Features	
Number of Positions	21
Number of Rows	3
Housing Features	
Centerline (Pitch)	5 mm[.197 in]
Housing Material	PBT GF
Contact Features	
Mating Tab Width	2.8 mm[.11 in]
Contact Size	2.8mm

Receptacle

Contact Type



Body Features	
Primary Product Color	Gray
Connector & Keying Code	A
Cable Exit Angle	180°
Operation/Application	
Circuit Application	Power
Mechanical Attachment	
Connector Mounting Type	Cable Mount (Free-Hanging)
Strain Relief	Without
Terminal Position Assurance	No
Mating Alignment Type	Keyed
Mating Alignment	With
Usage Conditions	
Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 - 120 °C[-40 - 248 °F]
Electrical Characteristics	
Nominal Voltage Architecture	28 V
Operating Voltage	28 VDC
Other	
Connector Position Assurance Capable	No
EU RoHS Compliance	Compliant
EU ELV Compliance	Compliant
Serviceable	No
Dimensions	
Product Length	37.5 mm[1.476 in]
Connector Height	24 mm[.945 in]
Packaging Features	
Packaging Method	Carton
Packaging Quantity	900

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-

# Compatible Parts



TE Part # CAT-T4827-CH8172 Timer Connector Housing



TE Part # 2-1394765-1 2.8FLA-STE-GEH 21P









TE Part # CAT-LMPH9507 Low & Medium Power Header




TE Part # 2421721-6 21POS,TAB2.8X0.8,HDR ASSY,90DEG, COD A,RS



# Also in the Series | AMP MCP Connector System



Automotive Connector Caps & Covers (24)



Automotive Connector Locks & Position Assurance(4)



Automotive Housings(265)



Automotive Terminals(11)




Connector Seals & Cavity Plugs(5)



Insertion & Extraction Tools(13)



Other Automotive Connector Accessories(2)




PCB Headers & Receptacles(32)

## Also in the Series | AMP MCP 2.8



Automotive Connector Caps & Covers
(1)



Automotive Connector Locks & Position Assurance(5)



Automotive Housings(162)



Automotive Terminals(53)



Connector Seals & Cavity Plugs(3)



Insertion & Extraction Tools(6)



Module Components(1)



Other Automotive Connector Accessories(1)





# Customers Also Bought















## **Documents**

**Product Drawings** 

MCP2.8 GEH ASSY 21P

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_8-968975-2\_F.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_8-968975-2\_F.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_8-968975-2\_F.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Housing for Female Terminals, Wire-to-Wire, 21 Position, 5 mm [.197 in] Centerline, Gray, Wire & Cable, Power, Cable Mount (Free-Hanging), Hybrid



Product Specifications

Application Specification

English