1571610-2 - ACTIVE

Alcoswitch

TE Internal #: 1571610-2 50 mA Tactile Switch, Round Actuator, NO, Stainless Steel, Silver Contact Plating, IP67, Low Profile, 24 VDC, Process Sealed View on TE.com >

connectivity

Switches > Tactile Switches



Contact Current Rating: 50 mA

Actuator Style: Round Actuator

Operating Function: NO

Contact Base Material: Stainless Steel

Switch Contact Plating Material: Silver

Features

Product Type Features

Leg Style	Kinked	
Switch Connection Type	Printed Circuit Board	
Illuminated	With	
Actuator Style	Round Actuator	
Configuration Features		
Switch Feedback Type	Tactile	
ESD Grounding Terminal	Without	
Ganged	With	
Operating Function	NO	
Support Bracket	With	
Configuration (Pole-Throw)	Single Pole - Single Throw	
Number of Actuators	Single	
Electrical Characteristics		
Operating Voltage	24 VDC	

1571610-2

50 mA Tactile Switch, Round Actuator, NO, Stainless Steel, Silver Contact Plating, IP67, Low Profile, 24 VDC, Process Sealed



Body Features

Case Material	PPS	
Actuator Profile	Extended	
Case Color	Black	
Actuator Material	Nylon	
Actuator Force	160 g[5.64 oz]	
Product Orientation	Right Angle	
Actuator Color	Black	
Contact Features		
Contact Current Rating	50 mA	
Contact Base Material	Stainless Steel	
Switch Contact Plating Material	Silver	
Termination Features		
Termination Method to PCB	Through Hole - Solder	
Housing Features		
Low Profile	With	
Process Sealed	Yes	

Dimensions

Button Width	2.33 mm[.092 in]
	.309 in
Actuator Length	3.85 mm[.152 in]
Usage Conditions	
Operating Temperature Range	-35 – 85 °C
Industry Standards	
IP Rating	IP67
Packaging Features	
Packaging Method	Loose Piece
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

1571610-2

50 mA Tactile Switch, Round Actuator, NO, Stainless Steel, Silver Contact Plating, IP67, Low Profile, 24 VDC, Process Sealed



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






TE Part # 1825910-6 FSM4JH=6MM TACT SWITCH, HIGH TEMP

Customers Also Bought

1571610-2

50 mA Tactile Switch, Round Actuator, NO, Stainless Steel, Silver Contact Plating, IP67, Low Profile, 24 VDC, Process Sealed







Documents

Product Drawings Sealed R/A Tact switch, Sealed

English

CAD Files

Customer View Model ENG_CVM_CVM_1571610-2_C.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_1571610-2_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1571610-2_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.